NISSO AMERICA INC.

Section 1 Identification					
Product identifier		Renovo Fungicide, Registration Number 32097			
Other means of identification		Crop protection agents, fungicide, Suspension concentrate(SC)			
Recommended Use of the chemical and restrictions on use		Fungicide for agricultural use			
Distributor	Name	Belchim Crop Protection Canada, Inc.			
	Address	104 Cooper Drive, Unit 3, Guelph, Ontario, Canada, N1C 0A4			
	TEL. No.	866-613-3336			
Manufacturer	Name	Nisso America Inc.			
	Address	88 Pine Street, 14th Floor, New York, NY 10005 USA			
	TEL. No.	212-490-0350	Fax No.	212-972-9361	
Emergency	TEL. No	1-866-336-2983	Fax No.		
Date Prepared Sept. 6, 2013		Date Revised	April 11, 2024		

Section 2 Haz	Section 2 Hazard(s) Identification			
Classification	Acute Toxicity-Oral: Hazard category 4			
	Acute Toxicity-Inhalation: Hazard category 4			
	Germ Cell Mutangenicity: Hazard category 2			
	Hazardous to the Aquatic Environment-Acute Hazard: Hazard category 3			
	Hazardous to the Aquatic Environment-Long-Term Hazard: Hazard category 1			
Signal word	Warning			
Hazard	H302 Harmful if swallowed			
statement	H332 Harmful if inhaled			
	H341 Suspected of causing genetic defects.			
	H402 Harmful to aquatic life.			
	H410 Very toxic to aquatic life with long lasting effects.			
Symbol				

NISSO AMERICA INC.

	SDS Relieve I ungleide
Precautionary	Prevention
statement	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions have been read and understood.
	P261 Avoid breathing mist/vapours/spray.
	P264 Wash hands and face thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.
	P271 Use only outdoors or in a well-ventilated area.
	P273. Avoid release to the environment.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	Response
	P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.
	P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell
	P308+P313 IF exposed or concerned: Get medical advice/attention. P391 Collect spillage.
	Storage
	P405 Store locked up.
	Disposal P501 Dispose of contents/container in accordance with local/national/international regulations.
Description of any hazards not	None
otherwise	
classified	

Section 3 Composition/Information on Ingredients				
Chemical name	CAS No.	Concentration		
Common name and synonyms				
Active Ingredient	23564-05-8	42.6 w/w%		
Dimethyl 4,4'-(o-phenylene)bis(3-thioallophanate);	23304-03-6	(41.3 w/w% a.i.)		
{1,2-di-(3-methoxycarbonyl-2-thioureido)benzene } ; {Dimethyl [1,2-phenylenebis(iminocarbonothioyl)bis- [carbamate] };		(500 g/L)		
Thiophanate-methyl (ISO name)				
Inactive Ingredient Sodium alkylnaphthalenesulfonate, formaldehyde condensate	68425-94-5	1.7 w/w% (20 g/L)		
Additives (surfactants and others)		12.1 w/w%		
Water		Balance		

Section 4	First-Aid	Measures
Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and
		easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

NISSO AMERICA INC.

Skin contact	Remove contaminated clothing and shoes. Wash with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.
Most important symptoms/effects, acute and delayed	Not available
Indication of immediate medical attention and special treatment needed, if necessary	No specific antidote. Supportive care. Treatment based on judgment of physician in response to symptoms of patient.

Section 5 Fire-Fight	Section 5 Fire-Fighting Measures			
Suitable (and unsuitable) extinguishing media	This product is non-combustible. Suitable extinguishing media: Dry chemicals, carbon dioxide, alcohol foam or water spray. Unsuitable extinguishing media: Not known			
Specific hazards arising from the chemical	Thermal decomposition or combustion may produce carbon oxides, nitrogen oxides and sulfur dioxide.			
Special protective equipment and	Protective equipment Wear self-contained breathing apparatus and complete personal protective equipment.			
precautions for fire- fighters	Precautions for fire-fighters Move containers away from fire areas if it can be done without risk. If impossible to remove containers from fire zone, cool them with water spray. Collect separately contaminated extinguishing water, do not allow to reach sewage or effluent system. Dispose of fire debris and contaminated extinguishing water in according with official regulations.			

Section 6 Accidental Release Measures			
Personal precautions, protective equipment,	Refer to Section 8 for personal protective equipment. Avoid contact with skin, eyes and clothing.		
and emergency procedures	Avoid breathing the mist or vapor.		
Environmental precautions	Prevent form entering into drains, ditches or rivers because this product is very toxic to aquatic life with long lasting effects.		
Methods and materials for containment and cleaning up	Sweep up, place in a closed container and hold for waste disposal. Ventricle area, and wash spill site with soap and plenty of water after material pick-up is complete. Obey Federal, State or local regulations for health and environment protection to discharge treated water to sea, river or lakes etc.		

Section 7 Handling and Storage			
Precautions for	Refer to Section 8 for personal protective equipment.		
safe handling	Keep out of the reach of children.		
	Avoid contact with skin, eyes and clothing.		
	Obtain special instructions before use. Do not handle until all safety precautions have been read		
	and understood.		
	Avoid breathing mist/vapours/spray.		

NISSO AMERICA INC.

	Wash hands and face thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Use only in a well-ventilated area, or chemical fume hood.
	Keep away from food, drink and animal feeding stuffs.
	Avoid release to the environment.
	IF exposed or concerned: Get medical advice/attention.
Conditions for	Keep container tightly closed. Store in a cool, dry, well-ventilated place.
safe storage	Keep away from foods, drink and animal feedingstuffs.
	Keep away from direct sunlight, oxidizing agents.
	Store locked up.

Section 8 Exposure Controls/Personal protection					
Control parameters		Not applicable.			
Appropriate engineering controls Use general and/or local exhaust ventilation to control vapor/ Provide safety showers and eyewashes.			o control vapor/mist.		
Individual pr	rotection m	neasures, such as personal protective	ve equipment		
Respiratory	Suitable respirator for organic vapor		Gloves	Gloves such as rubber or polyvinyl chloride.	
Eye/Face	Safety goggles.		Footwear	Boots	
Clothing	Working wear with long sleeves.		Others	None	

Section 9 Pl	Section 9 Physical and Chemical Properties					
Appearance	Light beige-tan liquid	Odor	Faint specific odor			
Relative density	1.17-1.23 g/cm ³ (20°C)	рН	5-7 (1% in water)			
Melting Point	Not applicable.	Boiling Point	Not available.			
Vapor Density (air=1)	Not applicable.	Vapor Pressure	$<1.3 \times 10^{-5}$ Pa at 25°C (as active ingredient)			
Evaporation Rate (Ethyl acetate=1)	Not applicable.	Surface Tension	41.1 mN/m (20°C, 25%)			
Solubility in water	Dispersible	Solubility in solvent	Not available.			
Log Po/w	1.44 (as active ingredient)	Viscosity	500-900 mPa • s (20°C, No.2 rotor, 30rpm)			
Flash Point	No flash point up to 100°C	Autoignition Temp.	Not combustible			

NISSO AMERICA INC.

SDS Renovo Fungicide

Explosion limit	Lower limit	No	ot applicable.	Upper limit	Not applicable.				
Section 10 Stability and Reactivity									
Reactivity	This product is stable in normal handling and storing condition.								
Chemical Stability	Unstable	X	If unstable, condition to avoid unstable reaction. Oxidizing agents, strong acids or bases.						
	Stable			C					
Possibility of hazardous reactions	Hazardous polymerization does not occur								
Conditions to avoid	High temperature.								
Incompatible Materials	No substance known that should be avoided.								

Section 11. Toxicological Information

Acute Toxicity

Hazardous

decomposition Products

Oral (rat) : $LD_{50} = 1000 \text{ mg/kg(female)}$

Dermal (rat): $LD_{50} > 2000$ mg/kg (male, female) Inhalation (rat): $LC_{50} = 2.25$ mg/L(4hr) (male, female)

No hazardous reaction and product known.

Skin corrosion/irritation

Dermal (rabbit): Not irritant

Serious eye damage/irritation

Eyes (rabbit): Not irritant

Respiratory or skin sensitization

Dermal (guinea pig): Negative

Respiratory: Not available

Germ cell mutagenicity (as active ingredient)

Ames test: Negative
Chromosomal aberration test: Negative
Rec-Assay: Negative
UDS test: Negative
Micronucleou test: Positive

This product was classified as hazard category 2 because the content of thiophanate-methyl for hazard category

2 is $\geq 1.0\%$.

Carcinogenicity (as active ingredient)

Rat: Negative

NISSO AMERICA INC.

SDS Renovo Fungicide

Mouse: Negative							
	NTP	IARC Monograph	OSHA				
Thiophanate-methyl	Not listed.	Not listed.	Not listed.				

Reproductive toxicity (as active ingredient)

Reproductive toxicity

3generations reproductive test(rat): Negative

Tetratogenicity

Negative (rat)

Negative (rabbit)

STOT-single exposure: Not available. STOT-repeated exposure (as active ingredient):

Chronic Toxicity

NOAEL (rat): 8.8mg/kg/day(male), 10.2 mg/kg/day(female) (2 years)

NOAEL (mouse): 98.6 mg/kg/day(male), 28.7 mg/kg/day(female) (1.5 years)

Aspiration hazard: Not available

Others: Not available

Section12 Ecological Information

Ecotoxicity

Acute Toxicity to Fish: $LC_{50}(oncorhynchus\ mykiss):>100\ mg/L(96hr)$ Acute Toxicity for Daphnia: $EC_{50}(Daphnia\ magna):$ 11 mg/L(48hr)

Acute Toxicity for Alga: ErC₅₀ (*P.subcapitata*): 88.3 mg/L(72hr)

NOEC (P.subcapitata): 10 mg/L(72hr)

Hazardous to the Aquatic Environment-Acute Hazard:

This product was classified as hazard category 3 based on the above data.

Hazardous to the Aquatic Environment-Long term hazard:

This product was classified as hazard category 1 because the content of Thiophanate-methyl for hazard category 1 is $\geq 25\%$.

Persistence and degradability

Bio-degradability: Not good degradability (Thiophanate-Methyl).

Bioaccumulative potential

Since the value of logPo/w is low, it is estimated that bio-accumulative potential is low (Thiophanate-Methyl).

Mobility in soil

Not available.

Other adverse effects

Not available.

Section 13 Disposal Considerations

Dispose of contents/container in accordance with local/national/international regulations.

Section 14 Transport Information

NISSO AMERICA INC.

SDS Renovo Fungicide

International marine transportation(IMDG)

UN No. 3082 Class 9

(Thiophanate-methyl mixture)

Packing Group III

Marin pollutant Applicable

DOT Regulations

Proper Shipping Name Environmentally Hazardous Substance, liquid, n. o. s.

(Thiophanate-methyl mixture)

Hazard Class 9

Identification No. UN 3082

Packing Group: III

Marin pollutant Applicable Emergency Response Guide No. 171

ICAO/IATA Dangerous Goods Regulations

UN No. 3082 Class 9

Proper shipping name Environmentally Hazardous Substance, liquid, n. o. s.

(Thiophanate-methyl mixture)

Packing Group III

Environmentally hazardous Applicable

Special precautions for use

Not applicable.

Section 15 Regulatory Information					
Substance	Thiophanate-methyl (CAS No. 23564-05-8)				
TSCA	Not listed((Not applicable(pesticide))				
OSHA (highly hazardous chemicals)	Not listed				
SARA (extremely hazardous substance)	Listed				
CERCLA (Hazardous Substance)	Listed				
Others	None				

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

CAUTION

Harmful if absorbed through the skin or if swallowed.

Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

NISSO AMERICA INC.

SDS Renovo Fungicide

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Section 16 Other Information							
Label Information							
NFPA Rating: Health; 1 Flammability; 0 Instability; 0							
Regulatory Information in other area							
Substance		Thiophanate-methyl (CAS No. 23564-05-8)					
ENCS(JAPAN)		Not listed (Not applicable (pesticide))					
EINECS(EU)		Listed (245-740-7)					
DSL(Canada)		Listed					
IECSC(China)		Listed					
South Korea (ECL)		Listed					
Revised Information This SDS was prepared according to ANSI Z400.1/Z129.1-2010.							
Date Prepared September		r 6, 2013	Date Revised	April 11, 2024			

This information is taken from sources or based upon data believed to be reliable. However, Nippon Soda Co., LTD. makes no warranty as to the absolute correctness or sufficiency of any of the foregoing or that additional or other measures may not be required under particular conditions.