



# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

Aspiration hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.  
H320 Causes eye irritation.  
H351 Suspected of causing cancer.

Precautionary Statements :

#### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 4 %

### Other hazards

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

---

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.	Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	$\geq 10 - < 30$ *
carfentrazone-ethyl (ISO)	carfentrazone-ethyl (ISO)	128639-02-1	$\geq 10 - < 30$ *
2-methylnaphthalene	2-methylnaphthalene	91-57-6	$\geq 5 - < 10$ *
1-methylnaphthalene	1-methylnaphthalene	90-12-0	$\geq 5 - < 10$ *
propane-1,2-diol	propane-1,2-diol	57-55-6	$\geq 1 - < 5$ *
naphthalene	naphthalene	91-20-3	$\geq 0.1 - < 1$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.  
Causes eye irritation.  
Fatal if inhaled.  
Suspected of causing cancer.

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

Notes to physician : Treat symptomatically.

---

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated
-

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
 Date of first issue: 02/18/2022

place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.

- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	CA AB OEL
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
2-methylnaphthalene	91-57-6	TWA	0.5 ppm	CA BC OEL
		TWAEV	0.5 ppm	CA QC OEL
		TWA	0.5 ppm	ACGIH
1-methylnaphthalene	90-12-0	TWA	0.5 ppm	CA BC OEL
		TWAEV	0.5 ppm	CA QC OEL
		TWA	0.5 ppm	ACGIH
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL
naphthalene	91-20-3	TWA	10 ppm 52 mg/m <sup>3</sup>	CA AB OEL
		STEL	15 ppm 79 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 ppm	CA BC OEL
		TWAEV	10 ppm	CA QC OEL
		STEV	15 ppm 79 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 ppm	ACGIH

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : off-white

Odor : solvent-like

pH : 4.29

Flash point : 104 °C

Density : 8.8 lb/gal

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

---

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

### **Product:**

Acute oral toxicity : LD50 (Rat): 4,077 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.31 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity estimate: 0.5041 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

### **Serious eye damage/eye irritation**

Causes eye irritation.

### **Product:**

Result : Mild eye irritation

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Product:**

Result : Not a skin sensitizer.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

**Solvent naphtha (petroleum), heavy arom.:**

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

### **carfentrazone-ethyl (ISO):**

Germ cell mutagenicity - Assessment : No genotoxic potential

### **2-methylnaphthalene:**

Genotoxicity in vitro : Test Type: sister chromatid exchange assay  
Test system: Human lymphocytes  
Result: negative

Test Type: Ames test  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### **1-methylnaphthalene:**

Genotoxicity in vitro : Test Type: sister chromatid exchange assay  
Test system: Human lymphocytes  
Result: negative

Test Type: Ames test  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### **propane-1,2-diol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

### **naphthalene:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection



# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

Result: negative

### **Carcinogenicity**

Suspected of causing cancer.

#### **Product:**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

##### **propane-1,2-diol:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Mouse  
Application Route: Oral  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: Animal testing did not show any effects on fertility.  
Remarks: Based on data from similar materials

##### **naphthalene:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Inhalation  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

### **STOT-single exposure**

Not classified based on available information.

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

Remarks : No significant adverse effects were reported

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

### 2-methylnaphthalene:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

### 1-methylnaphthalene:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

### STOT-repeated exposure

Not classified based on available information.

### Components:

#### carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### Solvent naphtha (petroleum), heavy arom.:

Species : Rat, male and female  
NOAEC : 0.9 - 1.8 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 12 months

#### carfentrazone-ethyl (ISO):

Species : Rat  
NOAEL : 58 mg/kg  
Application Route : Oral  
Exposure time : 90 days

#### 2-methylnaphthalene:

Species : Mouse, female  
LOAEL : 50.3 mg/kg  
Application Route : Oral  
Exposure time : 81 w  
Dose : 0, 50.3, 107.6 mg/kg-d  
Symptoms : pulmonary effects, immune system effects

Species : Mouse  
Application Route : Dermal  
Exposure time : 30 w  
Number of exposures : 2/w  
Dose : 119 mg/kg-application  
Symptoms : pulmonary effects  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

### 1-methylnaphthalene:

Species : Mouse, female  
LOAEL : 50.3 mg/kg  
Application Route : Oral  
Exposure time : 81 w  
Dose : 0, 50.3, 107.6 mg/kg-d  
Symptoms : pulmonary effects, immune system effects  
Remarks : Based on data from similar materials

Species : Mouse  
Application Route : Dermal  
Exposure time : 30 w  
Number of exposures : 2/w  
Dose : 119 mg/kg-application  
Symptoms : pulmonary effects  
Remarks : Based on data from similar materials

### propane-1,2-diol:

Species : Rat, male and female  
NOAEL : 1,700 mg/kg  
Application Route : Oral  
Exposure time : 2 Years

Species : Rat, male and female  
NOAEL : 1,000 mg/kg  
LOAEL : 160 mg/kg  
Application Route : Inhalation  
Exposure time : 90 Days

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Solvent naphtha (petroleum), heavy arom.:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

#### 2-methylnaphthalene:

Skin contact : Target Organs: Skin  
Symptoms: Irritation

#### 1-methylnaphthalene:

Skin contact : Target Organs: Skin  
Symptoms: Irritation

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

### Neurological effects

#### Components:

##### **carfentrazone-ethyl (ISO):**

No neurotoxicity observed in animal studies.

#### Further information

##### Product:

Remarks : Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50 (Daphnia magna (Water flea)): 0.89 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

##### **carfentrazone-ethyl (ISO):**

Toxicity to fish : LC50 (Fish): 1.6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 9.8 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

NOEC (algae): 0.001 mg/l  
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l  
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.0187 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.22 mg/l  
Exposure time: 21 d

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 820 mg/kg

Remarks: No significant adverse effect on Nitrogen mineralization.  
No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm  
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee  
End point: Acute contact toxicity

### 2-methylnaphthalene:

Toxicity to fish : LC50 (Fish): 2 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 1.49 mg/l  
End point: Immobilization  
Test Type: static test

### 1-methylnaphthalene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.42 mg/l  
End point: Immobilization  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 12 mg/l  
Exposure time: 14 d  
Test Type: static test

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

### propane-1,2-diol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l  
Exposure time: 7 d
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

### naphthalene:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.16 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 0.4 - 0.5 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 0.37 mg/l  
Exposure time: 40 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia pulex (Water flea)): 0.59 mg/l  
Exposure time: 125 d
- Toxicity to microorganisms : IC50 (Bacteria): 29 mg/l  
Exposure time: 24 h

### Persistence and degradability

#### Components:

#### **Solvent naphtha (petroleum), heavy arom.:**

- Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 58.6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

### **carfentrazone-ethyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

### **1-methylnaphthalene:**

Biodegradability : Result: Not readily biodegradable.

### **propane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 23.6 %  
Exposure time: 64 d  
Method: OECD Test Guideline 306

### **naphthalene:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 67 %  
Exposure time: 12 d

### **Bioaccumulative potential**

#### **Components:**

#### **Solvent naphtha (petroleum), heavy arom.:**

Partition coefficient: n-octanol/water : log Pow: 3.72  
Method: QSAR

#### **carfentrazone-ethyl (ISO):**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 176  
Remarks: See section 9 for octanol-water partition coefficient.

#### **2-methylnaphthalene:**

Partition coefficient: n-octanol/water : log Pow: 3.86

#### **1-methylnaphthalene:**

Partition coefficient: n-octanol/water : log Pow: 3.87

#### **propane-1,2-diol:**

Partition coefficient: n-octanol/water : log Pow: -1.07

#### **naphthalene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 168

Partition coefficient: n-octanol/water : log Pow: 3.7

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

### Mobility in soil

#### Components:

##### **carfentrazone-ethyl (ISO):**

Distribution among environmental compartments : Remarks: Mobile in soils

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl, Naphthalene)  
Class : 9  
Packing group : III  
Labels : 9

#### **IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Carfentrazone-ethyl, Naphthalene)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passen- : 964

---



# SAFETY DATA SHEET



## Quicksilver Herbicide

Version 1.2      Revision Date: 06/28/2022      SDS Number: 50000428      Date of last issue: 06/28/2022  
Date of first issue: 02/18/2022

---

ger aircraft)  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl, Naphthalene)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl, Naphthalene)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes (Carfentrazone-ethyl, Naphthalene)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

**NPRI Components** : naphthalene

### The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory  
TSCA : Product contains substance(s) not listed on TSCA inventory.  
AICS : Not in compliance with the inventory  
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-(2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL)PROPIONATE

Polyalkylene oxide block copolymer

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 06/28/2022
1.2	06/28/2022	50000428	Date of first issue: 02/18/2022

high molecular weight polymeric emulsifier

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

ACGIH / TWA : 8-hour, time-weighted average

CA AB OEL / TWA : 8-hour Occupational exposure limit

CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

CA QC OEL / TWA EV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

# SAFETY DATA SHEET



## Quicksilver Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 06/28/2022
1.2	06/28/2022	50000428	Date of first issue: 02/18/2022

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

### Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

**End of Material Safety Data Sheet**