SAFETY DATA SHEET

Polaro A Fungicide

SDS #: 7689-3-A **Revision date**: 2021-07-13

Format: NA Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Polaro A Fungicide

Other means of identification

Product Code(s) 7689-3-A

Synonyms FLUOXASTROBIN: (E)-{ 2-[6-(2-chlorophenoxy)-5-fluoropyrimidin-4-yloxy]phenyl}

(5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime (IUPAC name);

(1E)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-

3-yl)methanone O-methyloxime (CAS name)

Active Ingredient(s) Fluoxastrobin

Chemical Family Strobiluron

PCP# To be determined

Recommended use of the chemical and restrictions on use

Recommended Use: Fungicide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

800 / 331-3148 (U.S.A. & Canada)

651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 703 / 741 5970 (CHEMTREC - International) 703 / 527 3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

Revision date: 2021-07-13 Version 1

Acute aquatic toxicity Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H332 - Harmful if inhaled

H317 - May cause an allergic skin reaction

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life



Precautionary Statements - Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P314 - Get medical advice/ attention if you feel unwell

P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention

P391 - Collect spillage

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Strobiluron.

Chemical name	CAS-No	Weight %
Fluoxastrobin	361377-29-9	40.3
Propylene glycol	57-55-6	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

Revision date: 2021-07-13 Version 1

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not give

anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Possible systemic effects through repeated exposure. If inhaled, may cause irritation to the nose, throat, and upper respiratory tract. Symptoms may include coughing and sneezing.

Skin contact may cause irritation and allergic reactions.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Water spray, Foam, Dry powder, Carbon dioxide (CO2), Sand.

Specific Hazards Arising from the

Chemical

Not flammable

Hazardous Combustion Products In the event of fire, the formation of hydrogen chloride, hydrogen cyanide, hydrogen

fluoride, carbon monoxide, and nitrogen oxide must be anticipated.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Prevent runoff from fire control from entering streams, sewers, or drinking water supply.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

To clean the floor and all objects contaminated by this material, use damp cloth. Place

used cleaning materials into closed receptacles.

7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice. Do not contaminate

other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep away from open flames, hot surfaces and sources of ignition. Keep in a dry, cool and

well-ventilated place. Keep out of reach of children and animals. Keep/store only in original

container.

Revision date: 2021-07-13

Version 1

Incompatible products No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol	-	-	TWA: 10 mg/m ³	-
(57-55-6)			aerosol only	
			TWA: 50 ppm aerosol and vapor	
			aerosorano vapor	
			TWA: 155 mg/m³ aerosol and vapor	

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Rubber/latex/neoprene or other suitable chemical resistant gloves. Use protective gloves

made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with

soap and water before reuse. Check regularly for leaks.

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Remove

and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceOff-white Viscous LiquidPhysical StateLiquid SuspensionColorNo information available

Odor Paint-like

Odor threshold No information available pH 6.8 (10% solution)

Melting point/freezing point

Not applicable

Boiling Point/Range No information available

Flash point Not applicable

Evaporation RateFlammability (solid, gas)
No information available
No information available

Revision date: 2021-07-13 Version 1

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density
Specific gravity
Water solubility
No information available

Water solubility Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic 822 cps @ 25°C No information available **Explosive properties** No information available **Oxidizing properties** No information available

Molecular weightNo informationBulk density1.19 @ 20°C

K_{st} No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks

Incompatible materials No information available.

Hazardous Decomposition Products In the event of fire, the formation of hydrogen chloride, hydrogen cyanide, hydrogen

fluoride, carbon monoxide, and nitrogen oxide must be anticipated.

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 > 5000 mg/kg (rat)

 LD50 Dermal
 > 5000 mg/kg (rat)

 LC50 Inhalation (vapor)
 > 4.9 mg/L (rat) (4-hr)

Serious eye damage/eye irritation Non-irritating.
Skin corrosion/irritation Minimally irritating.

Sensitization Sensitizer

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Fluoxastrobin (361377-29-9)	> 2000 mg/kg(Rat)	> 2000 mg/kg(Rat)	= 4.9 mg/L (Rat)4 h
Propylene glycol (57-55-6)	20000 mg/kg(Rat)	20800 mg/kg (Rabbit)	

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Fluoxastrobin showed reduced body weight and hepatocytomegaly and cytoplasmic

changes associated with increased serum liver alkaline phosphatase indicative of

Polaro A Fungicide

SDS #: 7689-3-A Revision date: 2021-07-13

Version 1

cholestasis.

Mutagenicity Fluoxastrobin, Not genotoxic in animal studies.

Carcinogenicity Fluoxastrobin: Not carcinogenic

Neurological effects Fluoxastrobin: No neurotoxicity observed in animal studies.

Reproductive toxicity Fluoxastrobin: In the reproduction study, there was evidence of decreased body weight in

offspring, delayed preputial separation, and incomplete ossification.

Developmental toxicity STOT - single exposure STOT - repeated exposure Neurological effects Fluoxastrobin: Evidence of transient body weight loss and decreased food consumption.

No information available.

No information available.

Fluoxastrobin: No neurotoxicity observed in animal studies.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life. May cause long lasting harmful effects to aquatic life.

Fluoxastrobin (361377-29-9)				
Active Ingredient(s)	Duration	Species	Value	Units
	96 h LC50	M. bahia	0.053	mg/L
	48 h EC50	Daphnia	0.48	mg/L
	96 h LC50	Cyprinus carpio	0.57	mg/L
	96 h LC50	Lepomis macrochirus	0.97	mg/L
		(Bluegill sunfish)		

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium Hydroxide 1310-73-2		96 h LC50: = 45.4 mg/L (Oncorhynchus mykiss) static	
Fluoxastrobin 361377-29-9	72-hour EC50 = 0.45 mg/L (Selenastrum capricornutum)(biomass) 72-hour EC50 = 2.67 mg/L (Selenastrum capricornutum)(growth rate)	96 hr LC50 = 0.435 mg/L (Oncorhynchus mykiss) 96 hr LC50 = 0.57 mg/L (Cyprinus carpio) 96 hr LC50 = 0.97 mg/L (Lepomis macrochirus)	48 hr EC50 = 0.48 mg/L (D. magna) 96 hr LC50 = 0.053 mg/L (M. bahia)
Glycerin 56-81-5		96 h LC50: 51 - 57 mL/L (Oncorhynchus mykiss) static	24 h EC50: > 500 mg/L (Daphnia magna)
Methyl ethyl ketone 78-93-3		96 h LC50: 3130 - 3320 mg/L (Pimephales promelas) flow-through	48 h EC50: 4025 - 6440 mg/L (Daphnia magna) Static 48 h EC50: = 5091 mg/L (Daphnia magna) 48 h EC50: > 520 mg/L (Daphnia magna

Persistence and degradability Fluoxastrobin: Half-life is 29 to 393 days depending on soil type.

Bioaccumulation Fluoxastrobin: Material may have some potential to bioaccumulate.

Mobility Fluoxastrobin: Low mobility in soil.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. Do not re-use empty

containers.

14. TRANSPORT INFORMATION

Polaro A Fungicide

SDS #: 7689-3-A

Revision date: 2021-07-13

Version 1

NOTEThis material is not subject to the hazardous materials regulations when shipped in

non-bulk packagings within the USA per 49CFR 173.150(f)(2) and 49CFR 173.150(f)(1).

DOT NOT REGULATED

Packaging Type Bulk UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(fluoxastrobin)

Hazard class 9
Packing Group III

Marine Pollutant Fluoxastrobin.

Description UN3082, Environmentally hazardous substances, liquid, n.o.s. (Fluoxastrobin), 9, III, Marine

Pollutant

TDG NOT REGULATED

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(fluoxastrobin)

Hazard class 9
Packing Group III
Marine Pollutant Yes.

Description UN3082, Environmentally hazardous substances, liquid, n.o.s. (Fluoxastrobin), 9, III, Marine

Pollutant

ICAO/IATA NOT REGULATED

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(Fluoxastrobin)

Hazard class 9
Packing Group III

Description UN3082, Environmentally hazardous substances, liquid, n.o.s. (Fluoxastrobin), 9, III, Marine

Pollutant

IMDG/IMO NOT REGULATED

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(Fluoxastrobin)

Hazard class 9
Packing Group III
Environmental Hazards Yes

Description UN3082, Environmentally hazardous substances, liquid, n.o.s. (Fluoxastrobin), 9, III, Marine

Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
	Quantities		Pollutants	Substances

Polaro A Fungicide

SDS #: 7689-3-A

Revision date: 2021-07-13

Version 1

Sodium Hydroxide	1000 lb		Х
1310-73-2			

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Sodium Hydroxide	1000 lb	
1310-73-2	454 kg	
Methyl ethyl ketone	5000 lb	
78-93-3	2270 kg	

FIFRA INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION:

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

This pesticide is toxic to fish and aquatic invertebrates.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol	X		X
57-55-6			

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propylene glycol 57-55-6	X	Х	X	X	Х	X	Х	Х

CANADA

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

16. OTHER INFORMATION

Revision date: 2021-07-13

Version 1

NFPA	Health Hazards 1	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 1	Flammability 0	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-07-13
Reason for revision: Initial Release

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet