

Complete Spring Protection

Spring is an important time on the golf course. You frantically work to open the course and start conditioning the turf for the stresses of the coming season. The cool and wet weather conditions that commonly occur at this time of year are ideal for several turf pathogens to develop. Foliar diseases like Pink snow mould/Microdochium patch, Leaf spot or Anthracnose may be evident while root infecting pathogens like Take-all patch, Summer patch, Pythium root dysfunction and Pythium root rot develop below the surface. However, these root infecting pathogens may not be visible until the first stress of the season.



For more information, please contact:

Grover	(647) 225-8035	paul.grotier@belchim.com
BJ	(416) 457-7785	billyjoe.carey@belchim.com
Big Bear	(519) 820-8929	barry.johnson@belchim.com




Take the Guesswork out of your Spring Application

Take the guesswork out of your preventative application with a tank mix of **Disarm** and **Segway**. This affordable combination of fungicides will prevent all problematic spring turf pathogens from establishing so you'll be ready no matter what Mother Nature throws your way.


Spring Recipe

Product	Active Ingredient	Rate (ml/100 m ²)	Water Volume	Timing	To Treat (1 acre)
Disarm	Fluoxastrobin	11.5	Target the root zone with 12-16 L/100 m ² or follow immediately with .125" irrigation.	Apply in the spring when the soil temps at 5 cm depth reach 12.5-18 °C	465 ml
Segway	Cyazofamid	14.3-26.6			579 ml - 1,076 ml

Disarm



Segway



Springtime Diseases	Controlled by
Take-all patch Summer patch Pink snow mould Anthracnose Leaf spot & Melting out Dollar Spot	Disarm
Pythium root dysfunction Pythium damping-off	Segway

Segway is a trademark of Ishihara Sangyo Kaisha Ltds . Disarm is a trademark of FMC Corporation or an affiliate. All other trademarks are property of their respective companies.

www.belchimturf.ca

Always read and follow label directions.

